

ALTMAN LIGHTING Nimbus Series LED VIDEO CONFERENCE LIGHTING.

The Nimbus tunable white LED video conference lighting is the perfect solution for your video lighting needs. The Nimbus series is the perfect combination of LED battery and USB powered fill and ring lights to suit your video conferencing and home or office studio lighting requirements.

The Nimbus Side Kick is a high output 180 LED tunable white (3000K to 6000K) non-glare soft light that is fully dimmable and battery/USB powered. The compact design of this luminaire (no larger than a cell phone) allows for easy mounting, transportability, and discrete placement with in your video environment.

The Nimbus Halo is a 6" ring soft light that is USB powered LED tunable white fill light. Halo can be powered from either the Sidekick (sold separately) or any USB device. Halo can be either stand alone or work in unison with the Side Kick to help fully model the lighting area.



NMB-SIDEKICK-TW shown above Laptop computer shown for reference and is not included.



NMB-HALO-TW shown above Smartphone not included.

Product Features: NMB-SIDE KICK-TW series

- 180 LED Array
- High CRI >99 @ 3000K
- TLCI Rating >99
- 3000K to 6000K tunable white output
- Rear LCD Display
 - Battery duration
 - CCT
 - Dimming
- Convection Cooled (no moving parts)
- Long Battery Life 3.7 Vdc@ 4500mAh (4.4 hrs @4200k @15%dim)
- 5%-100% Dimming (typical video conf. requires unit at 15%)
- Simple 3 Button Operation
- Includes:
 - Desk Tripod
 - Tripod/selfie stick extension arm
 - suction cup mount
- Warranty 5 years and 1 day



Product Features: NMB-HALO-TW series

- SoftLight LED Array
- Variable white output
- Four (4) Button Cord Switch control
- Convection Cooled (no moving parts)
- USB powered
- Can be powered from NMB-SIDE KICK Series
- 5%- 100% Dimming (typical video conf. requires unit at 30%)
- Soft Even Light distribution
- Includes:
 - Desk Tripod
 - Tripod/selfie stick extension arm
 - suction cup mount
- Warranty 5 years and 1 day



VIDEO CONFERENCE LIGHTING

Photometric Performance NMB-SIDE KICK note all measurements taken w. LED warm up time of 20 Min.

NIMBUS LED SIDE KICK PHOTOMETRIC SCORE CARD – 3000K SETTING	
CCT	2862 K
DUV	-0.0001
CRI	99
CQS	98
RE(R1-15)	98
TLCI Qa)	99
TM-30-15 rf	96
TM-30-15 rg	102





NIMBUS LED SIDE KICK PHOTOMETRIC SCORE CARD – 4200K SETTING	
CCT	4142 K
DUV	-0.0004
CRI	97
CQS	98
RE(R1-15)	96
TLCI Qa)	99.1
TM-30-15 rf	95
TM-30-15 rg	101



VIDEO CONFERENCE LIGHTING



Photometric Performance NMB-SIDE KICK note all measurements taken w. LED warm up time of 20 Min.

NIMBUS LED SIDE KICK PHOTOMETRIC SCORE CARD – 6000K SETTING	
CCT	5939 K
DUV	0.0099
CRI	96
CQS	95
RE(R1-15)	94
TLCI Qa)	98.7
TM-30-15 rf	92
TM-30-15 rg	97



Photometric Performance NMB-HALO note all measurements taken w. LED warm up time of 20 Min.

NIMBUS LED HALO PHOTOMETRIC SCORE CARD – COOL WHITE	
CCT	3985 K
DUV	-0.0017
CRI	75
CQS	73
RE(R1-15)	66
TLCI Qa)	50.2
TM-30-15 rf	85
TM-30-15 rg	96



VIDEO CONFERENCE LIGHTING

Specifications (NMB-SIDE KICK)

Materials: Corrosion-resistant materials and hardware.
Display: OLED screen
Control: Manual Push button
Light Engine : 180 LEDs
Light Output: 600 Lumens @ 4200K
CCT Range: 3000K - 6000K
Battery: 4500mAH (Charge time 3 hrs)
Wattage: 8W
USB Power Through: 5V - 1 Amp
Charging Port: - Type C
Power Factor : ≥ 0.9
Weight: 7.2 oz (204 G)
Dimensions: 5.51" x 2.87" x .39" (140mm x 73mm x 10mm)
Body Color : Black
Warranty: 5 Years and 1 Day
Support: Supported Forever - Free phone and online Tech support for the life of your product.

Specifications (NMB-HALO)

Materials: Corrosion-resistant materials and hardware.
Control: Manual Push button (4 button Cord switch control)
Light Engine : 222 LED Soft Light color tunable
Light Output: 550 LUX @ .5M (51Fc. @ 1'-6")
CCT Range: 3000K - 6000K
Power: 5V / 2A.
Wattage: 10 W.
USB Power Through: 5V - 2 Amp
Weight: 2.8oz (79.3 G)
Dimensions: 6.25" x 6.25" x .75" (158mm x 158mm x 19mm)
Body Color : Black
Warranty: 5 Years and 1 Day
Support: Supported Forever - Free phone and online Tech support for the life of your product.

Note: There are many aftermarket accessories for Altman Lighting products available through third-party suppliers. When considering these aftermarket accessories, we suggest that you consult with your Altman Regional Sales Manager beforehand regarding capability and effects on product performance.

Ordering Information:

Nimbus Series:
NMB-SIDEKICK-TW -Nimbus Series Video Conference Lighting Flood - 180 LEDs Tunable White (3000K to 6000K)

Includes:

NMB-TRIPOD-B Desk Tripod (Black)

NMB-EXTN-SS-B Tripod/selfie stick extension arm (black)

NMB-SCM-B suction cup mount (black)



NMB-SIDEKICK WITH SUCTION CUP MOUNT SHOWN ABOVE shown above Laptop computer shown for reference and is not included.



NMB-SIDEKICK WITH DESKTOP TRIPOD AND EXTENSION SHOWN ABOVE

Nimbus Series:
NMB-HALO-TW Nimbus Series Video Conference Lighting Halo Variable White USB powered with push button control.

Includes:

NMB-TRIPOD-B Desk Tripod (Black)

NMB-EXTN-SS-B Tripod/selfie stick extension arm (black)

NMB-SCM-B suction cup mount (black)



NMB-HALO WITH DESKTOP TRIPOD shown above Smartphone and 2nd stand not included



Altman Lighting
+1 (303) 500-7072
1400 East 66th Avenue
Denver, CO 80229 USA

www.altmanlighting.com

All specifications, descriptions, information, design, etc. contained in this document are subject to change without prior notice.

20 February 2021

© 2021 Altman Stage Lighting, Inc.